

## Supplementary Table 1

	a)	b)	c)	d)	e)	f)	g)	h)	i)	j)	k)	l)
a) VAS Pain Intensity	-											
b) MPQ Sensory scale	.56****	-										
c) MPQ Sensory-mix scale	.55****	.61****	-									
d) VAS Pain Unpleasantness	.68****	.40***	.42****	-								
e) MPQ Affective scale	.42****	.47****	.39***	.46****	-							
f) MPQ Affective-mix scale	.44****	.38***	.21	.45****	.51****	-						
g) VAS Arousal	.38***	.15	.07	.34**	.06	.05	-					
h) VAS Aversion	.47****	.13	.09	.41***	.12	.16	.58****	-				
i) IRI Fantasy scale	.16	.32**	.26*	.01	.11	.23*	-.09	.08	-			
j) IRI Perspective taking	.05	.07	.02	.01	.16	.10	.07	.13	.25*	-		
k) IRI Emotional concern	.01	.09	.06	.04	.15	-.08	.03	.01	-.08	.28**	-	
l) IRI Personal distress	.13	.07	.15	.18	.19	-.00	-.00	.19	.06	-.21	-.05	-

Table S1. Simple correlations between subjective measures. Asterisks indicate significant correlations. \* =  $p < 0.05$ ; \*\* =  $p < 0.01$ ; \*\*\* =  $p < 0.001$ ; \*\*\*\* =  $p < 0.0001$